

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A method for managing loading or execution ~~use~~ of a software code by a selected application program, comprising:

configuring a database having a plurality of application programs, wherein each one of the plurality of application programs corresponds to at least one designated software code, wherein the plurality of application programs includes the selected application program, and wherein the corresponding at least one designated software code is not the software code loaded or executed ~~used~~ by the selected application program;

detecting the loading or execution ~~use~~ of all or a portion of the software code, wherein the detecting is not performed by the software code;

identifying the selected application program that is loading or execution ~~using~~ the software code; and

confirming a conflict between the selected application program and the software code, wherein the conflict between the selected application program and the software code is confirmed after the loading or execution ~~use~~ of the software code has been detected.

Claim 2 (Cancelled)

Claim 3 (Previously Presented): The method of claim 1, wherein configuring the database further includes:

obtaining information relating to at least one of the plurality of application programs and
corresponding at least one designated software code in a non-automated fashion.

Claim 4 (Previously Presented): The method of claim 1, wherein at least one of the plurality of application programs is associated with an executable code, and wherein configuring the database further includes:

obtaining information relating to the at least one of the plurality of application programs
and the corresponding at least one designated software code by automated
examination of the executable code; and
entering the information into the database.

Claim 5 (Previously Presented): The method of claim 1, wherein configuring the database further includes:

entering information relating to the at least one of the plurality of application programs
and the corresponding at least one designated software code by using a snapshot
of installation activity required for the at least one of the plurality of application
programs.

Claim 6 (Previously Presented): The method of claim 1, wherein at least one of the plurality of applications programs is associated with a system resident installation package, and wherein configuring the database further includes:

entering information relating to the at least one of the plurality of application programs
and the corresponding at least one designated software code by automated
examination of the system resident installation package.

Claim 7 (Previously Presented): The method of claim 1, wherein confirming a conflict between the software code and the selected application program further includes:

determining that the software code is not the same as the corresponding at least one designated software code.

Claim 8 (Currently Amended): The method of claim 7, wherein the corresponding at least one designated software code has a version number which differs from a version number associated with the software code loaded or executed ~~used~~ by the selected application program, and wherein determining that the improper software code is not the same as the corresponding at least one designated software code further includes:

determining ~~the version number of the corresponding at least one designated software~~

code and the version number of the software code loaded or executed ~~used~~ by the selected application program; and

comparing the version number of the corresponding at least one designated software code to the version number of the software code loaded or executed ~~used~~ by the selected application program.

Claim 9 (Currently Amended): The method of claim 1, wherein the software code is a software library, and wherein detecting loading or execution ~~use~~ of the software code further includes:

enabling detection of a library loading operation.

Claim 10 (Original): The method of claim 9, wherein enabling detection of a library loading operation further includes:

setting a software hook activated by the library loading operation.

Claim 11 (Currently Amended): The method of claim 1, further including:
configuring a database having a plurality of application programs, wherein each one of
the plurality of application programs corresponds to at least one designated
software code, wherein the plurality of application programs includes the selected
application program, and wherein the corresponding at least one designated
software code is the same as the software code loaded or executed used by the
selected application program.

Claim 12 (Original): The method of claim 1, wherein identifying the selected application
program further includes:
determining a file name of the selected application program.

Claim 13 (Original): The method of claim 1, wherein the selected application program
has an application version number, and wherein identifying the selected application program
further includes:
determining the application version number.

Claim 14 (Original): The method of claim 1, further including:
reporting the conflict; and
alerting a selected party regarding the conflict.

Claim 15 (Original): The method of claim 14, wherein the selected party is an end user
of the selected application program.

Claim 16 (Original): The method of claim 1, further including:
reporting the conflict; and

activating an alarm.

Claim 17 (Currently Amended): A computer workstation, comprising:

a processor module; and

a machine-accessible medium communicatively coupled to the processor module, the

machine-accessible medium having instructions associated therewith for

managing loading or execution use of a software code by a selected application

program, which when executed are capable of causing the processor module to

perform:

configuring a database having a plurality of application programs, wherein each one of

the plurality of application programs corresponds to at least one designated

software code, wherein the plurality of application programs includes the selected

application program, and wherein the corresponding at least one designated

software code is not the software code loaded or executed used by the selected

application program;

detecting the loading or execution use of all or a portion of the software code, wherein the

detecting is not performed by the software code;

identifying the selected application program that is loading or executing using the

software code; and

confirming a conflict between the software code and the selected application program,

wherein the conflict between the selected application program and the software

code is confirmed after the loading or execution use of the software code has been

detected.

Claim 18 (Cancelled)

Claim 19 (Previously Presented): The computer workstation of claim 17, wherein at least one of the plurality of application programs is associated with an executable code, and wherein configuring the database further includes:

obtaining information relating to the at least one of the plurality of application programs and the corresponding at least one designated software code by automated examination of the executable code; and
entering the information into the database.

Claim 20 (Currently Amended): The computer workstation of claim 17, wherein confirming a conflict between the software code and the selected application program further includes:

determining that the software code loaded or executed ~~used~~ by the selected application program is not the same as the corresponding at least one designated software code.

Claim 21 (Currently Amended): The computer workstation of claim 20, wherein the corresponding at least one designated software code has a version number which differs from a version number associated with the software code loaded or executed ~~used~~ by the selected application program, and wherein determining that the software code loaded or executed ~~used~~ by the selected application program is not the same as the corresponding at least one designated software code further includes:

determining the version number of the corresponding at least one designated software code and the version number of the software code loaded or executed ~~used~~ by the selected application program; and

comparing the version number of the corresponding at least one designated software code to the version number of the software code loaded or executed ~~used~~ by the selected application program.

Claim 22 (Currently Amended): The computer workstation of claim 17, wherein the software code is a software library, and wherein detecting loading or execution use of the software code further includes:

enabling detection of a library loading operation.

Claim 23 (Original): The computer workstation of claim 22, wherein enabling detection of a library loading operation further includes:

setting a software hook activated by the library loading operation.

Claim 24 (Currently Amended): The computer workstation of claim 17, further including:

configuring a database having a plurality of application programs, wherein each one of the plurality of application programs corresponds to at least one designated software code, wherein the plurality of application programs includes the selected application program, and wherein the corresponding at least one designated software code is the same as the software code loaded or executed ~~used~~ by the selected application program.

Claim 25 (Currently Amended) A computer system network, comprising:
a server comprising:

a processor module;

a machine-accessible medium communicatively coupled to the processor module,
the machine-accessible medium having instructions associated therewith
for managing loading or execution ~~use~~ of a software code by a selected
application program, which when executed are capable of causing the
processor module to perform:

configuring a database having a plurality of application programs, wherein each
one of the plurality of application programs corresponds to at least one
designated software code, wherein the plurality of application programs
includes the selected application program, and wherein the corresponding
at least one designated software code is not the software code loaded or
executed ~~used~~ by the selected application program;

detecting the loading or execution ~~use~~ of the software code, wherein the detecting
is not performed by the software code;

identifying the selected application program that is loading or executing ~~using~~ the
software code; and

confirming a conflict between the software code and the selected application
program, wherein the conflict between the selected application program
and the software code is confirmed after the loading or execution ~~use~~ of
the software code has been detected; and

a client communicatively coupled to the server, wherein execution of the selected
application program is initiated by the client.

Claim 26 (Cancelled)

Claim 27 (Previously Presented) The computer system network of claim 25, wherein at least one of the plurality of application programs is associated with an executable code, and wherein configuring the database further includes:

obtaining information relating to the at least one of the plurality of application programs and the corresponding at least one designated software code by automated examination of the executable code; and
entering the information into the database.

Claim 28 (Previously Presented): The computer system network of claim 25, wherein the database is stored on the server.

Claim 29 (Original): The computer system network of claim 25, wherein confirming a conflict between the software code and the selected application program further includes:

determining that the software code is not the same as the corresponding at least one designated software code.

Claim 30 (Currently Amended): The computer system network of claim 25, further including:

configuring a database having a plurality of application programs, wherein each one of the plurality of application programs corresponds to at least one designated software code, wherein the plurality of application programs includes the selected application program, and wherein the corresponding at least one designated software code is the same as the software code loaded or executed ~~used~~ by the selected application program.

Claim 31 (Currently Amended): A machine-accessible medium having instructions associated therewith for managing loading or execution ~~use~~ of a software code by a selected application program, which when executed are capable of causing a processor module to perform:

configuring a database having a plurality of application programs, wherein each one of the plurality of application programs corresponds to at least one designated software code, wherein the plurality of application programs includes the selected application program, and wherein the corresponding at least one designated software code is not the software code loaded or executed ~~used~~ by the selected application program;

detecting the loading or execution ~~use~~ of the software code, wherein the detecting is not performed by the software code;

identifying the selected application program that is loading or executing ~~using~~ the software code; and

confirming a conflict between the improper software code and the selected application program, wherein the conflict between the selected application program and the software code is confirmed after the loading or execution ~~use~~ of the software code has been detected.

Claim 32 (Cancelled)

Claim 33 (Previously Presented): The machine-accessible medium of claim 31, wherein at least one of the plurality of application programs is associated with an executable code, and wherein configuring the database further includes:

obtaining information relating to the at least one of the plurality of application programs
and the corresponding at least one designated software code by automated
examination of the executable code; and
entering the information into the database.

Claim 34 (Currently Amended): The machine-accessible medium of claim 31, wherein
confirming a conflict between the software code and the selected application program further
includes:

determining that the software code loaded or executed ~~used~~ by the selected application
program is not the same as the corresponding at least one designated software
code.

Claim 35 (Currently Amended): The machine-accessible medium of claim 34, wherein
the corresponding at least one designated software code has a version number which differs from
a version number associated with the software code loaded or executed ~~used~~ by the selected
application program, and wherein determining that the software code loaded or executed ~~used~~ by
the selected application program is not the same as the corresponding at least one designated
software code further includes:

determining the version number of the proper software code and the version number of
the improper software code; and
comparing the version number of the corresponding at least one designated software code
to the version number of the software code loaded or executed ~~used~~ by the
selected application program.

Claim 36 (Currently Amended): The machine-accessible medium of claim 31, wherein the software code is a software library, and wherein detecting loading or execution use of the software code further includes:

enabling detection of a library loading operation.

Claim 37 (Currently Amended): The machine-accessible medium of claim 31, having instructions associated therewith which when executed are capable of causing the processor module to further perform:

configuring a database having a plurality of application programs, wherein each one of the plurality of application programs corresponds to at least one designated software code, wherein the plurality of application programs includes the selected application program, and wherein the corresponding at least one designated software code is the same as the software code loaded or executed used by the selected application program.